

Saturday

12/5 壁報序號表

POSTER No.

看板 編號	議程論文編號	Manuscript ID	論文題目 Title
001	2020-SAT-P0102-P001	0140	Inverse Design of Non-Periodical Metasurfaces via High-Performance Automatic Optimization
002	2020-SAT-P0102-P002	0262	Infrared Absorption Modulation with Metasurfaces Integrated Phase Change Materials
003	2020-SAT-P0102-P003	0411	Amplified spontaneous emission from all-inorganic halide perovskite on a flexible substrate
004	2020-SAT-P0102-P004	0421	Towards continuous-wave lasing emissions based on dyed-doped cholesteric liquid crystal templates
005	2020-SAT-P0102-P005	0448	Gallium oxide diode based on silicon thin film with white light emission and resistance switch characteristics
006	2020-SAT-P0102-P006	0242	Stretchable Three-Dimensional Photonic Crystal Blue Phase Elastomer
007	2020-SAT-P0102-P007	0662	Mechanism Study of Etching Lift-off SOI-based Si-nanomembrane by using HF mixed into Supercritical CO ₂
008	2020-SAT-P0102-P008	0396	Demonstration of a high definition video streaming through sub-terahertz link based on a terahertz photomixer
009	2020-SAT-P0102-P009	0783	KOH-Treated NiOx NPs as an Active Electrocatalyst for n-GaN Photoanode Towards Enhanced Solar-driven Water Splitting
010	2020-SAT-P0102-P010	0759	Polarization-detecting InGaN-GaN MQW p-n junction photodiode
011	2020-SAT-P0102-P011	0493	Surface Plasma Resonance Imaging using Tunable Dual –Bands Excitation on Nanostructure-Based Chips
012	2020-SAT-P0102-P012	0654	Electro-optical properties of ions-/dichroic dyes-doped nematic liquid crystals
013	2020-SAT-P0102-P013	0708	Optical properties of InAs sub-monolayer quantum dots with pentanary InAlGaAsSb capping layer

014	2020-SAT-P0102-P014	0059	Effect of Ring Homogeneity on Photonic Band Gap for Amorphous Tripod Networks
015	2020-SAT-P0102-P015	0147	Preparation and Luminescence Properties of Red Zn ₂ SiO ₄ :Eu ³⁺ Nanophosphor
016	2020-SAT-P0102-P016	0154	Stimulus Pulse-dependent Responses of DNA Biopolymer Devices
017	2020-SAT-P0102-P017	0163	An Anti-Opal Hydrogel Sensor for Food Additives Detecting
018	2020-SAT-P0102-P018	0436	Study On Photoluminescence Of All-inorganic Perovskite Quantum Dots
019	2020-SAT-P0102-P019	0516	Optical contrast dependence of few-layer MoS ₂ on the thickness of the oxide layer on silicon
020	2020-SAT-P0102-P020	0572	Preparation of ZnS material by CVD method
021	2020-SAT-P0102-P021	0784	Effects of antimony incorporation in the InAlAsSb capping layer for the optical properties of the InAs submonolayer quantum dots
022	2020-SAT-P0102-P022	0087	High-performance nanostructured p-Cu ₂ O/n-Si heterojunction photodiodes
023	2020-SAT-P0102-P023	0697	Extraordinary acoustic transmission analysis using simple spring-mass model
024	2020-SAT-P0102-P024	0616	Inkjet printing of DNA biomaterial on paper-based substrates
025	2020-SAT-P0102-P025	0069	Preparation of Light Extraction Layer for Green OLED by Using Imprinting
026	2020-SAT-P0102-P026	0100	Using intermittent process to enhance the quality of Gallium doped ZnO thin film
027	2020-SAT-P0102-P027	0633	Optically switchable cholesteric liquid crystals in different texture and its applications

028	2020-SAT-P0102-P028	0675	Photocurrent detection of graphene with Au electrodes
029	2020-SAT-P0102-P029	0720	Investigation of the optical properties of the InAs submonolayer quantum dots with GaAs/GaAsSb hole trapping structure
030	2020-SAT-P0102-P030	0747	Interference autocorrelation based on CH ₃ NH ₃ PbBr ₃ perovskite crystals
031	2020-SAT-P0102-P031	0035	Zinc Oxide Nanorods Grown with Two-Stage Hydrothermal Method Combined with Tungsten Oxide for Electrochromic Application
032	2020-SAT-P0102-P032	0632	Thermal Annealing Effect on Electrical Behaviours of β - Ga ₂ O ₃ Lateral Schottky Barrier Diode
033	2020-SAT-P0202-P001	0007	Optimizing Direct Coupling between Laser Diode and Channel Waveguide by Shift-or-shrink (SOS) Algorithm
034	2020-SAT-P0202-P002	0117	Regular pulses generated by semiconductor laser subject to both optoelectronic feedback and optical injection
035	2020-SAT-P0202-P003	0642	Development of Novel All-Fiber Mach-Zehnder Interferometer for Cu ion Detection
036	2020-SAT-P0202-P004	0219	An Accurate Camera Based Positioning System with Reduced Identification Error Applying Ring Marker and Centroid Method
037	2020-SAT-P0202-P005	0271	The Design of 60 GHz Bandwidth Symmetrical Conducted- Backed Coplanar Waveguide Based on the Single-Layer Drilled Glass Substrate
038	2020-SAT-P0202-P006	0450	Polarization Maintaining Negative Curvature Fiber for Terahertz Operation
039	2020-SAT-P0202-P007	0482	Influence of Thermal Effect on Leakage Channel Fibers
040	2020-SAT-P0202-P008	0503	High-Capacity High-Loss-Budget Long-Reach PON Incorporated with Volterra-based Pre-Distortion
041	2020-SAT-P0202-P009	0717	Fiber Bragg Grating Low-Frequency AC Magnetic Field Sensor

042	2020-SAT-P0202-P010	0683	Heterogeneous Microdisk Resonators with High Resonant Thermal Stability
043	2020-SAT-P0202-P011	0041	Dispersion Compensating of dual-concentric core photonic crystal fibers
044	2020-SAT-P0202-P012	0529	Dielectric constant and thickness measurement of subwavelength films using a metal-coated plastic woven mesh with unique transmission properties
045	2020-SAT-P0202-P013	0666	Novel pH Sensor-based on Mach-Zehnder Interferometer Fiber Coated with Chitosan and PAA Bilayers
046	2020-SAT-P0202-P014	0728	Ultra-Broadband Few-Mode Long-Period Fiber Grating for Doughnut Beam Generation
047	2020-SAT-P0202-P015	0748	The Gain Characteristic of C-Band Tunable Wavelengths Affected by the Coupling Ratios in Ring Resonator of Erbium-Doped Fiber Laser
048	2020-SAT-P0202-P016	0593	Tunable Wavelengths and Equalized Optical Powers by Variations of Coupling Ratios in Circular Ring Resonator of Erbium-Doped Fiber Laser
049	2020-SAT-P0202-P017	0190	Fiber-Based Resonant Beam System for Optical Wireless Information and Power Transfer System
050	2020-SAT-P0202-P018	0477	Compact Silicon Photonics Mode Converter Utilizing the Subwavelength Grating Based Asymmetrical Directional Coupler
051	2020-SAT-P0202-P019	0707	DC Voltage Sensor of Fiber Bragg Grating
052	2020-SAT-P0202-P020	0716	The Tuning Bandwidth of Tapered Fiber Bragg Grating
053	2020-SAT-P0202-P021	0137	Radio over Fiber Transport System with Self-Healing Function
054	2020-SAT-P0202-P022	0569	PDM-based Flexible Capacity Management for MMW-RoF Fronthaul with a Polarization Insensitive RU Design
055	2020-SAT-P0202-P023	0519	Employing Logistic Regression and Data Preprocessing to Demodulate Rolling Shutter Pattern in Optical Camera Communication (OCC)

056	2020-SAT-P0302-P001	0224	Anisotropic Off-axis Raman Oscillator
057	2020-SAT-P0302-P002	0112	Q-switched mode-locked Vortex Laser Formed by Coherent Superposition of Off-axis Traveling Waves
058	2020-SAT-P0302-P003	0788	Development and the optical nonlinearity investigation of High quality E-gun evaporation growth Tantalum Pentoxide (Ta ₂ O ₅) thin film
059	2020-SAT-P0302-P004	0459	Efficient EUV Spectrometer in a Conical Diffraction Geometry
060	2020-SAT-P0302-P005	0332	Investigation of the Laser Ablation Quality by Using Machine Learning Based upon Data Science
061	2020-SAT-P0302-P006	0305	Fringe-resolved Autocorrelation for Ultrashort Pulse Compression
062	2020-SAT-P0302-P007	0766	Direct observation of dynamic thermal lensing in an end-pumped Nd:YVO ₄ laser
063	2020-SAT-P0302-P008	0237	Unidirectional Photoluminescence Enhance Via Tamm Plasmon Polaritons with Dye Doped Polymers
064	2020-SAT-P0302-P009	0225	D-A Type of Electron Donor Molecules for Polymer Solar Cell
065	2020-SAT-P0302-P010	0597	The Impact of Extracavity Frequency Doubling in Infrared Yb-doped Pulsed Fiber Laser by Focusing Beam Size in a Nonlinear Crystal
066	2020-SAT-P0402-P001	0097	Exponential Correction Method on Shape from Focus for Improved Non-Uniform Illumination
067	2020-SAT-P0402-P002	0141	High accuracy 3D printing by phase-only LCoS
068	2020-SAT-P0402-P003	0167	A novel hydrogen peroxide sensor
069	2020-SAT-P0402-P004	0229	Optical Inspection of Blood Cells by neural network YOLO algorithm

070	2020-SAT-P0402-P005	0267	Intensity Distribution Measurement of Free Form Surfaced LED Lamps by Projected Light Image Analysis Method
071	2020-SAT-P0402-P006	0301	Hyperspectral imaging applied by air pollution detection technology
072	2020-SAT-P0402-P007	0383	Particle detection in different slice imaging using phase encoded common-path digital holographic microscopy
073	2020-SAT-P0402-P008	0439	Study of PQ:PMMA film for grating recording using oxolane solvent
074	2020-SAT-P0402-P009	0764	Simplified Aberration Analysis of Diffractive Waveguide Combiner
075	2020-SAT-P0402-P011	0769	Error-controlled Pulse-encoded Patterns for Phase-shifting Projected Fringe Profilometry
076	2020-SAT-P0402-P012	0772	A One-shot Method Using the 2D fringe-encoded pattern for Fourier Transform Profilometry
077	2020-SAT-P0402-P013	0782	Optimization Algorithm of Phase Quantization for Phase-Only Diffractive Optical Elements
078	2020-SAT-P0402-P014	0795	Estimation of the concentration of nonlinear refractive index inhomogenities by analysis of diffraction patterns obtained using TRIDH approach
079	2020-SAT-P0502-P001	0211	Optical Design of High Pressured Sodium Counter Beam Light to Meet Enhanced Tunnel Lighting Regulations
080	2020-SAT-P0502-P002	0706	Tunable phase retarder of photo-aligned liquid crystal device
081	2020-SAT-P0502-P003	0021	Study of EU ECE Light Shaping diffuser for Automotive
082	2020-SAT-P0502-P004	0067	The Secondary Lens Design of LED Counter Beam Tunnel Lights for CIE Regulations
083	2020-SAT-P0502-P005	0680	Optical model for LED die operated at UVC of wavelength around 275 nm

084	2020-SAT-P0502-P006	0287	The Study of Fabrication Tolerance Effect on Packaging Polarization Maintain Fiber Lens and Pump Laser
085	2020-SAT-P0502-P007	0005	Optimization of Light-Emitting Diode Mosquito Trap System Effectiveness
086	2020-SAT-P0502-P008	0378	LED-based Automatic Fringe-resolved Autocorrelator
087	2020-SAT-P0502-P009	0037	Application of solar concentrator, high stability and environmental protection cadmium-free carbon quantum dots and changes in optical properties of different solvents
088	2020-SAT-P0502-P010	0204	Comparison of Reconstructed Diffuse Optical Images Using Fixed and Flexible Detection Channels
089	2020-SAT-P0502-P011	0070	Fiber optic sensor for robot arm application
090	2020-SAT-P0502-P012	0289	Remote Camera-based Attack System with AI Threat Detection
091	2020-SAT-P0502-P013	0299	Shack-Hartmann Wavefront Sensor for Broadband Wavelength Range
092	2020-SAT-P0502-P014	0269	Sensing Measurement of Hollow-Core Photonic Crystal Fiber Sensor
093	2020-SAT-P0602-P001	0145	A novel deep learning approach for on-site diagnosis of lung cancer by smart optical coherence tomography
094	2020-SAT-P0602-P002	0180	Research on Recognizing Skin Lymphoma Images Using Neural Network
095	2020-SAT-P0602-P003	0038	Extracorporeal red light laser equipment of precise intramedullary nail hole positioning
096	2020-SAT-P0602-P004	0029	Lossy Mode Resonance Based Protein Biomedical Sensor with Self-heating Function
097	2020-SAT-P0602-P005	0285	Evaluation of ECMO Patients' Recovery Using Functional Near-Infrared Spectroscopy and Machine Learning

098	2020-SAT-P0602-P006	0726	Application of Light Tubes to Powering Implantable Retinal Prostheses
099	2020-SAT-P0602-P007	0184	Intelligent Identification of Few-layers MoS ₂
100	2020-SAT-P0602-P008	0249	The optimal lighting in the office space for employees' comfort
101	2020-SAT-P0602-P009	0431	Blood Vessel Near-Infrared Image Reconstruction by Learning a Deep Residual Network
102	2020-SAT-P0702-P001	0274	A Novel Interaction System with a Transparent Display
103	2020-SAT-P0702-P002	0253	Multi-view Information Fusion Technology Applied to Transparent Display Interactive System
104	2020-SAT-P0702-P003	0265	Highly stress protective design on flexible and transparent display
105	2020-SAT-P0702-P004	0268	Low-diffraction optical design of transparent panel
106	2020-SAT-P0702-P005	0048	Stretchable Conductive Material Applicable to Three-Dimensional Structure and Wearable device
107	2020-SAT-P0702-P006	0630	Simulation Platform for Spinning 3D Displays
108	2020-SAT-P0702-P007	0369	A Prediction Model of Visual Comfort for an E-reading Device Based on Machine Learning
109	2020-SAT-P0702-P008	0191	Estimation of Camera Spectral Sensitivity with Validation Samples
110	2020-SAT-P0702-P009	0210	Thermally driven liquid crystal elastomer
111	2020-SAT-P0702-P010	0266	Highly Visible Micro LED Display

112	2020-SAT-P0702-P011	0255	The Analysis of Angular Color Variation of MicroLEDs with CCT at 6500K
113	2020-SAT-P0702-P012	0177	Full Color Micro-LED Display Using Semi-polar (20-21) InGaN LED With Quantum Dot Photoresist Perform High Color Stability.
114	2020-SAT-P0702-P013	0560	Single-side Alternate Noise-free (S-A-N) Method Gate Driver On Array with TFT-LCD using a-Si for Narrow-bezel Application
115	2020-SAT-P0702-P014	0110	Verification of LTPS-TFT process on flexible transparent substrate
116	2020-SAT-P0702-P015	0542	High efficiency green quantum-dot light-emitting diode with hole transporting layer selection
117	2020-SAT-P0702-P016	0315	Preparation of Quantum Dot Light-Emitting Diodes Based on CsPbBr ₃ Perovskite Nanocrystals with Pure Natural Material
118	2020-SAT-P0702-P017	0565	Control of liquid crystal pretilt angles by gelators and planar alignment films
119	2020-SAT-P0702-P018	0586	Formation and the flexoelectro-optic effect of ULH cholesteric liquid crystals
120	2020-SAT-P0702-P019	0794	Effects of dielectric anisotropy and electrode structure on fast-response VA-FFS LC mode for Virtual Reality (VR) displays
121	2020-SAT-P0702-P020	0587	Electro-optical characteristics of vertically aligned liquid crystals with three-terminal electrodes
122	2020-SAT-P0702-P021	0099	Using a multi-angle director model for blue phase liquid crystal cell investigation
123	2020-SAT-P0702-P022	0792	Triplet exciton sharing to extend lifetime of blue PhOLED
124	2020-SAT-P0702-P023	0629	Green Organic Light-emitting Diodes with Exciplex Host
125	2020-SAT-P0702-P024	0004	Synthesis of Symmetry / Asymmetry Luminescent Materials Consist of Carbazole / Anthracene Derivative for Organic Light Emitting Diodes

126	2020-SAT-P0702-P025	0176	Balanced Ambipolar Charge Transport Dicyano-imidazole-based Materials for Highly Efficient Organic Light-Emitting Diodes
127	2020-SAT-P0702-P026	0691	Organic Light-Emitting Diodes Fabricated on Flexible Indium Tin Oxide
128	2020-SAT-P0702-P027	0252	Fabrications of holographic optical elements by means of liquid crystal lenses
129	2020-SAT-P0802-P001	0002	Visual characteristics of afterimage induced by LED dot matrixes
130	2020-SAT-P0802-P002	0036	Design of Heat Sink Dimension to Improve Thermal Characteristics of High-Power LED Bulbs
131	2020-SAT-P0802-P003	0042	Light Color Conversion Efficiency Enhancement of Colloidal Quantum Dot through Its Linkage with Synthesized Metal Nanoparticle on a Light-emitting Diode
132	2020-SAT-P0802-P004	0143	The Output Power Enhancement of Light-Emitting Diodes with Leaf Structure Surface
133	2020-SAT-P0802-P005	0334	Study of Perovskite CsPbI ₃ with TOPO Color Conversion Quantum Dot Film in Red Light-Emitting Devices
134	2020-SAT-P0802-P006	0359	Effect of ICBA:modified-C60 electron transfer layer on the structural and optical properties of perovskite light-emitting diodes (PeLEDs)
135	2020-SAT-P0802-P007	0480	Improving the RF Performance of GaN HEMTs by Partial Substrate Removal
136	2020-SAT-P0802-P008	0584	Evaluation of Static Work Attention Under Different Office Lighting Environments
137	2020-SAT-P0802-P009	0028	Highly Efficient White Light-Emitting Electrochemical Cells on Diffusive Substrates
138	2020-SAT-P0802-P010	0111	Blue Organic Light-Emitting Diodes with High Blue Index
139	2020-SAT-P0802-P011	0149	The Output Power Enhancement of the White LEDs Using β -carotene Based Natural Dye with Remote Phosphor Structure

140	2020-SAT-P0802-P012	0040	Plasmonic Dicke Effect in an InGaN/GaN Multiple Quantum Well Structure
141	2020-SAT-P0802-P013	0337	Increase Luminous Efficacy of WLEDs with Uniform Spectral Power Distribution Through Phosphors in Silicone/Phosphor in Glass Stacked Package
142	2020-SAT-P0802-P014	0399	Light extraction of ultraviolet light emitting
143	2020-SAT-P0802-P015	0022	Simulation and Analysis of a Surgical Lamp Module with a Chip On Board (COB) Light-Emitting Diode
144	2020-SAT-P0802-P016	0311	Analysis of Solid Suspended Particles using Near Infrared Spectroscopy and Partial Least Squares Regression
145	2020-SAT-P0802-P017	0443	Formation of a Half Mirror and Its Effect On Mirror Effect
146	2020-SAT-P0802-P018	0540	Hardware for Controlling a Dynamic Lighting System
147	2020-SAT-P0902-P001	0373	Modulation of LED light for IGZO semiconductor in LAPS
148	2020-SAT-P0902-P002	0058	Hydrogenation Behaviors in Passivated Emitter and Rear Silicon Solar Cells with Various Hydrogenated SiNx Films
149	2020-SAT-P0902-P003	0128	White Light Photodetector based on Copper Oxide Nanoclusters/Zinc Oxide Nanorods Heterojunction Device
150	2020-SAT-P0902-P004	0368	Vertical Oriented Quasi-Two-Dimensional Perovskite Single Crystal Micro-Plates for Highly Efficient Solar Cells
151	2020-SAT-P0902-P005	0263	Formamide Based Additive for Improving the Performance of FAPbI ₃ Based Perovskite Solar Cells
152	2020-SAT-P0902-P006	0276	Enhance the stability of perovskite solar cells by compositional engineering
153	2020-SAT-P0902-P007	0277	Surface treatments lead to efficiency improvement in perovskite solar cells for indoor applications

154	2020-SAT-P0902-P008	0294	Photoelectrochemical Behaviors of Copper Oxide /Zinc Oxide Nanorods Heterojunction
155	2020-SAT-P0902-P009	0365	Effect of Growth Time on ZnO Nanorod and Dye Sensitized Solar Cell Performance
156	2020-SAT-P0902-P010	0638	The Comparison of solution process and SET to fabricate chlorine contained perovskite solar cell
157	2020-SAT-P0902-P011	0400	Advanced Applications of Perovskite/Organic Photovoltaics: Beyond Human Eye's Color Perception, and Double-Sided Irradiation Energy Harvesting
158	2020-SAT-P0902-P012	0500	Reduce the interaction of PSS in PEDOT:PSS with thermal evaporation Pbl2 to enhance Perovskite solar cell power conversion efficiency
159	2020-SAT-P1002-P001	0066	Effects of Light Color of Desk Lamp and Font Size of Textbook on Reading Clarity and Safety
160	2020-SAT-P1002-P002	0135	Epitaxial Growth of Gallium Oxide on Aluminium Nitride Buffer Layers by Hydride Vapor Phase Epitaxy
161	2020-SAT-P1002-P003	0518	Related application of 3D printing technology making electronic circuit blocks – components buried
162	2020-SAT-P1002-P004	0205	The highly brightness transparent AMOLED display Process
163	2020-SAT-P1002-P005	0360	The Study of InGaAs-Based p-i-n Band-Pass Near-IR Photodetector Grown by Metal-Organic Chemical Vapor Deposition
164	2020-SAT-P1002-P006	0558	Simulation Research of Pixel Polarization Sensor
165	2020-SAT-P1002-P007	0719	Improving the device characteristic of IGZO thin film transistors by plasma treatment with double-gate structure
166	2020-SAT-P1002-P008	0050	Effects of Different Bluelight-Filtering APPs on Reading Safety and Human Health
167	2020-SAT-P1002-P009	0153	High-efficiency oriented transparent film heater development technology

168	2020-SAT-P1002-P010	0164	Highly protective structure of transparent display encapsulation technology
169	2020-SAT-P1002-P011	0391	Tunable Measurement System for Reconstructing Surface Profile of an Object
170	2020-SAT-P1002-P012	0512	Theoretical Modeling of Electromagnetic Wave Diffraction with Triangular Apertures and Lattices
171	2020-SAT-P1002-P013	0668	Design and Implementation of Antireflection Coating of Ta ₂ O ₅ and SiO ₂ films for Silicone Layers
172	2020-SAT-P1002-P014	0688	Effects of O ₂ Plasma Treatments on Photolithographically Patterning an Organic Conductive Material
173	2020-SAT-P1002-P015	0352	Investigation of MgZnO/Ga ₂ O ₃ Dual-Band Ultraviolet Photodetectors with Different Thicknesses of SiO ₂ Inserting Layer by RF Magnetron Sputter
174	2020-SAT-P1002-P016	0086	Photocatalytic Study of Tin Oxide on Si substrate with Silver Nitrate Pretreated Surface
175	2020-SAT-P1002-P017	0422	N ₂ O plasma Treatment for Passivation Layer of Aluminum Indium Zinc Tin Oxide Thin Film Transistors
176	2020-SAT-P1002-P018	0538	Hydrophobic Thin Films Prepared by PECVD Method for Optical Ophthalmic Lenses
177	2020-SAT-P1002-P019	0054	Effects of Browsing Smartphone in Darkness on Eyes and Physiology
178	2020-SAT-P1002-P020	0142	An enzymatic modified glucose sensor with a calibration free measurement system
179	2020-SAT-P1002-P021	0385	Observation of weak anti-localization in a bismuth thin film grown by MBE
180	2020-SAT-P1002-P022	0543	Fabrication and Characterization of Wide-direct-bandgap CdS Thin Film Prepared by RF Magnetron Sputtering
181	2020-SAT-P1002-P023	0655	Optical and Mechanical Properties of Sputtered Tungsten Thin Films from 6 nm to 40 nm

182	2020-SAT-P1002-P024	0698	Properties of Al-Doped SnO ₂ Thin Films Prepared by Pulsed Laser Deposition
183	2020-SAT-P1002-P025	0407	Effects of deposition temperature, power, pressure and hydrogen content of Ga-doped ZnO film by using DC magnetron sputtering
184	2020-SAT-P1002-P026	0670	Optical and Mechanical Properties of Sputtered Molybdenum Thin Films from 5 nm to 50 nm
185	2020-SAT-P1002-P027	0068	SnS/g-C ₃ N ₄ Nanostructured Films for Photocatalytic Conversion of CO ₂ into Solar Fuels
186	2020-SAT-P1002-P028	0179	Fabrication of P-type Nanostructure Biosensor Applied for Photoelectrochemical and Impedance Detection of Cancer Cells
187	2020-SAT-P1002-P029	0652	Real-time Monitoring of OLED Thin Film Evaporation Process by Using a Phase Modulated Ellipsometer
188	2020-SAT-P1002-P030	0758	The electrical properties of Al-doped ZnO thin films after NH ₃ annealing
189	2020-SAT-P1002-P031	0187	The Performance Evaluation of Fresnel solar concentrator
190	2020-SAT-P1002-P032	0278	XPS Investigation of Monoatomic and Tunable Argon Gas Cluster Ion Beams on Variety Materials
191	2020-SAT-P1002-P033	0700	The effect of annealing in NH ₃ atmosphere on the electrical properties of Ag-doped ZnO thin films
192	2020-SAT-P1002-P034	0134	Analyzing inertia movement error of open loop piezoelectric actuator by warming-up
193	2020-SAT-P1002-P035	0388	Bipolar switching properties of MgO-based memory device by RF sputtering
194	2020-SAT-P1002-P036	0017	Simulation-Based Omnidirectional Blue Light Bragg Reflector Design by Multi-Central Wavelength Method Using Nb ₂ O ₅ /SiO ₂ Stacks
195	2020-SAT-P1002-P037	0016	A Simulation Study on Electron-Beam Evaporated Nb ₂ O ₅ /MgF ₂ Bilayers for Omnidirectional Reflection of Blue-Light Bragg Reflector Applications